



AVIKO B.V.  
Dr. A. Ariënsstraat 28  
7221 CD Steenderen-Nederland  
+31 (0)575-458 200

Postbus 8  
7220 AA Steenderen-Nederland

## General Information

SAP Code	240522
Product Description	Aviko H Pommes Frites Steakhouse 5x2500g
Brand	Aviko
Custom Tariff Code	2004101000
GTIN Consumer Unit 1	8710449001620
GTIN Carton	8710449999019
UPC 12 Carton	
Shell life in days after production	730
Remaining Shell Life in days at time of loading	182
Coding	Lotcode, expiry date, packaging content/weight, product description

REC: 2 / FLDS: 8 / PAC: 2

Date Of Standard:2025-02-12 01:25:25.45

2025-02-12

© AVIKO - Productspecification  
Issued By Corporate Quality Department Aviko

1 / 18

## Semi Finished

831064



Size	10x20 mm
Product description	Steakhouse fries, pre-fried and quick-frozen.

Process description	This product is made of potatoes which are washed, sorted, peeled, cut, blanched, dried, prefried in vegetable oil, quick frozen and packed.
Potato Comment	The processed potatoes are purchased from approved suppliers who meet local laws and regulations, are certified for GLOBAL-GAP and/or Dutch VVA, QS-GAP or IKKB certificate for potatoes and comply with strict quality criteria of Aviko.

## Ingredient Declaration

Ingredients: potatoes, palm oil.

## Allergens in accordance with regulation (EU) 1169/2011

Allergens in accordance with regulation (EU) 1169/2011	Food Claim
Allergens	
Cereals containing gluten	none
Crustaceans and products thereof	none
Eggs and products thereof	none
Fish and products thereof	none
Peanuts and products thereof	none
Soybeans and products thereof	none
Milk and products thereof	none
Nuts and products thereof	none
Celery and products thereof	none

Allergens in accordance with regulation (EU) 1169/2011	Food Claim
Mustard and products thereof	none
Sesame seeds and products thereof	none
Sulphur dioxide and sulphites >10 ppm	none
Lupine and products thereof	none
Molluscs and products thereof	none

## Nutritional data

Food Nutrient	UOM	Per 100g	%RI
Nutritional Energy			
Energy	kJ	530	
Energy	kcal	125	6%

Food Nutrient	UOM	Per 100g	%RI
Nutritional data			
Fat total	g	3	4%
- Fat of which saturated	g	1.5	8%
Carbohydrates available	g	21	8%
- Carbohydrates of which sugars	g	0.4	0%
Protein total	g	2.5	5%
Dietary fibre	g	2.5	
Salt	g	0.1	2%

## Food Claim

Food Claim	This product is Halal certified by	Image	Comment
Claims			
Ovo-lacto vegetarian			
Low sodium diet			
Vegan			
Certification			
Halal	Halal Correct		

## Quality Parameters Physical

Spec Item	UOM	LCL(MIN)	Target	UCL(MAX)	Comment
Physical properties					
Defect units Standard	du/kg	0	19	35	

Spec Item	UOM	LCL(MIN)	Target	UCL(MAX)	Comment
Form and/or cutsize deviations	% w/w		0	5	
Length <25mm weight	% w/w			2	
Breakage	% w/w		0	10	
Length >50mm weight	% w/w	65			

## Chemical properties

Spec Item	UOM	LCL(MIN)	Target	UCL(MAX)	Comment
null					
Moisture content Halogen dryer	%	68	71	74	
Fat content Soxtherm	%	1	3	4	

## Microbiological Properties

Spec Item	UOM	LCL(MIN)	Target	UCL(MAX)	Comment
Microbiological properties					
Escherichia coli end of shelflife	cfu/g			100	
Staphylococcus Aureus co+ end of shelflife	cfu/g			500	
Aerobic plate count end of shelflife	cfu/g			100,000	
Salmonella end of shelflife	cfu/25g			0	Absent
Enterobacteriaceae end of shelflife	cfu/g			1,000	
Listeria monocytogenes end of shelflife	cfu/25g			0	Absent

## Sensorical Properties



Spec Section Item Description	UOM	Value	Comment
Odour			
A pleasant odour, characteristic for deep fried potatoes.			
Taste			
A pleasant taste, characteristic for deep fried potatoes.			
Texture			
Slight crispy crust with a uniform smooth inside of cooked potatoes.			
USDA Colour			
Colour unprepared	USDA	00-0	Light yellow
USDA-colour card, Munsell Colour Company. (treatment according DPPA-standard: frying 500g of product 3 min. at 180°C in a calibrated fryer with 10 litres of oil)			

Spec Section Item Description	UOM	Value	Comment
Colour prepared	USDA	max. 2	Golden yellow

## Storage and Transport Conditions

Spec Item	Value	UOM
Storage temp	max. -18	°C
Delivery temperature	max. -18	°C

## Packaging Details

Level	Material Type	Material Type (Subtypes)	Packshot	Thickness (μ)	Composition	Tare weight	UOM	Dimension (mm)
Primary	Artwork	artwork for foil				0		45x300x480
		pillow		32	LD-PE	9.6	g	
Secondary		artwork for outer carton				0		396x261x275
		regular slotted box			cardboard	316	g	396x261x275

REC: 2 / FLDS: 8 / PAC: 2

Date Of Standard:2025-02-12 01:25:25.45

2025-02-12

© AVIKO - Productspecification  
Issued By Corporate Quality Department Aviko

13/18

## Palletization

Spec Item	Value	UOM
Palletization		
Calculated pallet height	1.8	m
Pallet type	Euro Chep	
Layers per pallet	6	pcs
Pallet size	1.2 x 0.8	m
Units per layer	9	pcs

Spec Item	Value	UOM
Units per pallet	54	pcs

## Consumer Information

Fryer: Max. 175°C, portion approx. 500g, 3-3½ min.

## Other Requirements

null	
	Defect-units: sum of points for all pieces with minor, major and gross defects for a sample of 1000g. Minor defect (light 6-12mm, dark 3-6mm): 1 point Major defect (light 12-18mm, dark 6-12mm): 2 points Gross defect (light >18mm, dark >12mm): 3 points
GMO Statement	

	<p>Hereby Aviko declares that none of our products, produced, packed, delivered and sold are genetically modified. None of the ingredients contain any genetically modified organism. No biotechnology or processing agents produced by means of gentechonology have been used during production. The product complies with the European non-GMO regulation (EG) nr. 1829/2003 and 1830/2003.</p>
Statement of contaminants	
	<p>Aviko declares that all products produced and supplied by Aviko comply with regulation (EU) 2023/915, setting maximum levels for certain unwanted components.</p>
Sampling	
	<p>In case of arbitration a lot is judged by taking a lot sample, per packaging. Normally, max. one lot sample is taken per two pallets. One lot consists of several pallets of at least 2 different shift dates. The lot samples are being mixed to one compilation sample. From this compilation sample a sample of 1 kg is taken to judge the quality.</p>
Quality Management Systems	
	<p>The production location where this article is being produced, has a quality management system that is certified to a GFSI recognised scheme. In case of a BRC certification at least B grade is required, for an IFS certification at least Foundation Level.</p>
Disclaimer fries	

	Aviko has the right, when delivery from a new crop starts, to adjust the specification with regard to the length within the valid contract to the on that moment available range of raw material. This specification is based on the moving average, with the help of methods of analysis from Aviko laboratories.
Pesticides statement	
	Aviko declares that pesticides residues in products supplied by Aviko are according to regulation (EU) 396/2005 and its amendment regulation (EU)310/2011.
Weight registration e-symbol	
	Aviko's standard procedure for packing of products/units is based upon average weight (e-symbol). For specific countries with relevant legislation, the procedure for packed products/units is based upon nominal weight.

## Signature

General Quality Manager Aviko Group



L.C. (Linda) Jespers